



ACE Band Screen
1500

Waste Water Experience & Innovation



ACE Band Screen 1500

Waste Water Experience & Innovation



CENTRE FLOW BAND SCREEN FOR AUTOMATIC REMOVAL OF SOLIDS FROM FLOW IN TWO DIMENSIONS.

FEATURES AND BENEFITS



Overview

Compliant with WIMES 5.03

Robust stainless steel construction with durable Polypropylene 30% glass filled UV stabilised black screen panels

All maintenance carried out in situ

Proven track record, installed in many water PLC's.



In and out flow to increase screening capture ratio

High Screening capture ratio - 79% - 5mm screening Screen perforations available - 5mm, 3mm and 2mm (other sizes available on application)

Effcient deluge cleaning system with intergrated selfadjusting scraper mechanism

Low headloss.



ALL maintenance can be carried out in situ supporting totex

Main belt articulated links carry the perforated screen panels

Quick release screen panels - simple removal and replacement

Cartridge rollers - self extracting for ease of replacement

Removable seal plates - for ease of main seal replacement

Interlocked hinged covers for ease of access and inspection.

Installation

Suitable for Channels*

Width - 750mm to 1200mm

Depth - 1000mm to 2000mm


Maximum depth of flow 1000mm*

Discharge height (from coping)* 364mm to 1404mm

*for installations and requirements outside of these parameters, please contact Haigh Engineering.

FLOW CONFIGURATION

TESTED AT THE
NATIONAL
SCREEN
EVALUATION
FACILITY
CHESTER-LESTREET



KEY FACTS


Services required: 4 l/s wash water at 3 bar while running.

Typical electric motor drive size: 0.55kW.

CAPACITIES

Minimum channel width	Screen hole size	Capacity
750mm	5mm	150 l/s
800mm	5mm	150 - 200 l/s
750mm	3mm	130 l/s
750mm	2mm	100 l/s

INSTALLATION DRAWING



SALES AND SERVICE SUPPORT



Haigh Engineering has a UK wide dedicated sales force who specialise in knowing how to bring added value to your works such as reducing civil costs and the need for site washwater and cutting screenings skip and transport costs.

Your local Sales Manager will be pleased to discuss your particular requirements and options for Haigh equipment to suit your works. If you decide to proceed with a Haigh installation a dedicated Contracts Engineer will be appointed to your project to oversee it from start to finish.

Installation can be undertaken by Haigh trained engineers and electricians who have in many cases served their apprenticeships with the Company - nobody knows Haigh products better than we do.



The Haigh Engineering Company Ltd

Alton Road, Ross-on-Wye, Herefordshire HR9 5NG

Tel: +44(0)1989 763 131

info@haigh.co.uk







